

Zodiaq® book

Design & Technical Information



zodiaq.



Index

INTRODUCTION

	Natural Beauty more solid than Rock		
RESIDENTIAL INSPIRATION	O N		
Food	The Nature of Cooking	6	
Water	New Tides for Bathing	16	
COMMERCIAL INSPIRATION	O N		
Shops	Attractive Shopping	24	
Public spaces	Grandeur	26	
Offices	Brighter Business	28	
Food	Glamour for Pleasure	30	
Hotels	Nights in Luxury	40	
K N O W - H O W			
Index		43	
What is DuPont™ Zodiaq®?	Why Quartz?	45	
Key Characteristics		46	
Manufacturing of DuPont™ Zodiaq®		48	
Applications		49	
Dimensions and colours		49	
Guidelines for Designing with DuPont™ Zodiaq®		50	
Performance properties of DuPont™ Zodiaq®		52	
Fabrication		53	
Installation		55	
Routine care and maintenance		56	
Recommendations		57	
Warranty		57	
COPYRIGHTS			
	Credits	58	
CONTACTS			
	Contact information	64	

latural Beauty Quartz re-engineered to form Zodiag®. Elegant, tough, durable, hygienic and easy to maintain, Zodiaq® transforms vision and inspiration into solid reality for distinctive designs across a range of residential and commercial environments.



more solid than Rock

DuPont[™] Zodiaq[®] is an innovative, high performance, decorative surfacing material available to industry, architects and designers. The secret behind this groundbreaking material's strength and beauty lies in high-purity quartz, a binding polymer and heavy metal-free pigments.

Architects and designers can now explore a new creative scope surpassing what is possible with raw stone. Furthermore, the material's strength, homogeneity, workability and hygienic qualities make it ideal for high-wear commercial areas, as well as for kitchen and bathroom applications.

With its cool, fresh, sparkling look and complete lack of fissures, Zodiaq® subtly interacts with the light, capturing and reflecting the radiance of quartz crystal. As an added bonus, the material harmonizes beautifully with wood, glass, steel and concrete.

As one would expect from a 21st century product, DuPont™ Zodiaq® is nontoxic and manufactured according to strict standards which limit waste and energy consumption at all stages of the production process.

The Nature of Cooking

Preparing food is a timeless ritual that inextricably connects us to the natural world. As the culinary arts take basic ingredients and turn them into a delight for the senses, so DuPont™ Zodiaq® embodies the transformation of nature into an enriched incarnation.

The outstanding **hygienic** properties of Zodiag® are thanks to the material's nonporous solidity, which does not support the growth of bacteria or fungi.

Easy to care for and therefore ideal where long-lasting and low-maintenance solutions are required, DuPont™ Zodiaq® is a superb surface for the kitchen.

With excellent heat resistance and a UK class o fire resistance rating, Zodiag® offers rock-solid safety to underpin its sheer desirability.



Understated Chic

Smooth and angular, this kitchen



for Boffi by Piero Lissoni provides uncluttered space for culinary creation and fully exploits the cool, matt elegance of the inventive Concrete **Block Collection of colours.**

Design: Piero Lissoni and CRS Boffi.



Workable like stone

While offering colours and a consistency of tone not found in natural stone, DuPont™ Zodiag® can be worked with the same tools that are used for granite and marble. Pure, deep charcoal black makes a strong impact here.

Design: Neil Lerner.








Powerful possibilities

With its **trend-leading range of tones**, discrete seams, lasting sleek finish and robust longevity, DuPont™ Zodiaq® is the nexus of strength and beauty.

Design: Zbären Kreativküchen AG.









DuPont™ Zodiaq® **blends beautifully** with a wide range of materials, appliances, equipment and looks. In fact, Zodiaq®, quite simply, works. Its low maintenance charm, inherent hygiene, resilient performance and easy compatibility make it the perfect partner for the ultra functional kitchen.

Design: Castiglia Associati.





While offering all the cool nobility of stone, DuPont™ Zodiaq® is unafraid to make a bold **statement** when required. Available in a palette of over 30 colours, there's no need to play it safe, if drama is on the menu.

Design: Picoty-Carné Architects.



New Tides for


The **refined colour palette** and lasting finish of DuPont™ Zodiaq®, together with its **lack of fissures** and non-porous hardiness, mean that not only is Zodiaq® hygienic and durable, but it also brings a touch of pure sophistication to bathroom design.



Mass does not have to be heavy-handed. With the simplest touch, designers can elicit the radiance at the heart of Zodiaq® and create alchemy where density finds a **lightness** all of its own. The clean, functional, yet graceful lines of this basin typify the potential offered by Zodiaq® in bathing environments.

Design: Massimo Fucci.

RESIDENTIAL | WATER Bathrooms have become indispensable sanctuary from our often stressful realities. DuPont™ Zodiag® is a powerful tool at the service of designers imagining new havens of welcoming wellness. Sculptural stimulation Unexpected shapes are pleasingly possible with DuPont™ Zodiaq®, when extraordinary strength and precision encounters pure inspiration. This glamorous bathtub, structured like a jigsaw from alternating layers of Zodiaq® in white and black, takes the boundaries of designing with a stone based product to extraordinary new levels. Design: Mega Marble.







Attractive Shopping

Ambience is everything

Cool, sleek, smooth and calming. DuPont™ Zodiaq®, in two harmonizing colourways (chalk white and mahogany brown), makes for an inviting cladding solution in the food hall of a stylish new shopping mall.

Design: Westfield (in-house design team).

The retail experience is undoubtedly enhanced by an aesthetically pleasing environment. In this up-to-date shopping destination, $DuPont^{TM}$ Zodiaq® plays its part as flooring, counter tops and decorative cladding.


The material's alluring panache and **durable performance** make it ideal for high traffic environments, where lasting appeal is vital.

These benefits, together with the extensive and varied colour choice, enables the creation of a specific **identity** and a mood conducive to relaxation and enjoyment.

Rock-steady reliability Harnessing the potent qualities of natural quartz for the benefit of design, Zodiaq® marries earth-born bounty with human ingenuity. The potent qualities of natural quartz for the benefit of design, Zodiaq® marries earth-born bounty with human ingenuity.



The distinctive regularity of colour, structure and depth provided by DuPont™ Zodiaq® is a perfect fit for the lobby of this 1920's Art Deco building. As is the case for all high traffic areas, the user-friendly manageability of Zodiaq® offers an added benefit for maintenance operations.



Clarity and spatial freedom are emphasised by the serene **chalk** white shade of this staircase, giving a **distinctive**, refreshing feel to an oftenoverlooked part of a building.

Design: Mackay + Partners Architects, London.

The complete homogeneity of DuPont™ Zodiaq® not only makes it more **uniform** than natural stone, which inevitably has irregularities, but also more **durable**, with a lasting finish that needs no further sealing.

Brighter Business

The first impression given by the reception area of an organisation is critical to its image. With DuPontTM Zodiaq[®], an immediate notion of timeless quality can be felt from the first footstep.

To enhance the character of office spaces, Zodiaq® can be used for both horizontal and vertical surfaces to frame a **modern** and confident environment.



Natural Charm

The perfect backdrop against which to express identity, values and personality, Zodiaq® forms furniture and fittings of **distinction**.

Design: Fletcher Priest Architects.



Pleasure


From vivid brights to subtle neutrals. From pure black or white to textured intrigue. From tranquil tones to invigorating sensation. With polished gloss or satin matt softness. Whether the ambience calls for avant-garde or go-with-the-flow, there's a hue to satisfy from the Zodiaq® selection.

Safety first. With confidence and easy-care a defining feature of this material, it's no surprise that it scores highly on safety too. Not only are its certified hygienic and non-toxic qualities indispensable, the fire-resistant characteristics of DuPont™ Zodiaq® are an essential benefit to designers and users alike.


An inviting array

The in-built sturdiness and naturally enduring finish of DuPont™ Zodiaq® makes it the perfect partner for demanding hospitality settings. And Zodiaq® demonstrates how strength allied with bold sophistication can add an **extra dimension** to bar and restaurant design.

Design: Principal Designer, Brownstone Design Group .








This chic dining table in **celestial blue** partners **style** with **strength**. Beauty meets functionality for a memorable occasion. What's more, this polished performer brings stain and heat resistance to new heights of attraction. Design: Shashi Caan.














Index

What is Du	Pont™ Zodiaq®?	4
Why quartz	z?	4
Key charac	teristics	4
-	Strong	4
	Homogeneous	4
	Hygienic	4
	Workable like stone	4
	Nontoxic and nonallergenic	4
	Low maintenance	4
	Environmentally friendly	4
Manufactu	ring of DuPont™ Zodiaq®	4
Application	ns	4
Dimensions	s and colours	4
Guidelines	for designing with DuPont™ Zodiaq®	5
	Slab optimization	5
	Colour uniformity	5
	Thermal expansion	5
	Overhangs and supports	5
	Hobs and sink cut-outs	5
	Interior flooring and wall cladding	5
Performan	ce properties of DuPont™ Zodiaq®	5
Fabrication	1	5
	Handling	5
	Inspection	5
	Cutting	5
	Shaping	5
	Polishing	5
	Seaming	5
Installation	1	5
Routine car	re and maintenance	5
	Polished surfaces	5
	Honed/matt surfaces	5
Recommen	dations	5
	Cuts or scratches	5
	Resistance to heat	5
	Resistance to stains and chemicals	5
Warranty		5

What is DuPont Zodiaq?



DuPont™ Zodiaq® is a solid, non-porous, homogeneous surfacing material made of an average 92% quartz and other silicates, a binding polymer and pigments developed for one purpose: to create a high-performance material with its own depth and character and a unique aesthetic, suggesting a sense of enlightened luxury and an attitude of bold sophistication. With a cool, fresh, sparkling look, Zodiaq® catches and reflects light, capturing the radiance of quartz crystal. Zodiaq® also has unusual clarity and consistency of colour, qualities that offer great potential for use in both horizontal and vertical applications. Zodiaq® quartz surfaces are an exclusive product, made only by DuPont.

WHY QUARTZ?

Quartz crystal makes dazzling jewellery, yet has the energy and precision to power the most accurate timepieces. Quartz is extremely hard, with unusual depth, clarity and radiance. More reasons why DuPont selected quartz as a core ingredient for Zodiaq[®].

Quartz is one of the most varied minerals, occurring in different types, colours and forms, each with its own unique appearance. It is found in the ground, in sand, in rocks - in nearly every geological environment around the world. It is a crystal with many facets in its original form, giving it a radiance similar to that of diamonds. It provides rich aesthetics coupled with extraordinary strength and durability.

Key

STRONG

Zodiaq® stands out for its superior strength and durability. It resists most of the impacts, nicks and cuts that occur in daily wear and tear. DuPont™ Zodiaq® has been tested for its mechanical, thermal, electrical and other surface properties. These performance properties can be consulted in the "PERFORMANCE PROPERTIES" section of this book.

HOMOGENEOUS

Zodiaq® offers consistency of structure and aesthetics, ensuring a coherent appearance throughout an installation. Colours and patterns run all the way through the material and cannot wear off.

HYGIENIC

DuPont[™] Zodiaq[®] surfaces are hygienic because the material is non-porous. It does not support the growth of bacteria or fungi. Zodiaq[®] has been certified by an independent laboratory according to the international norm DIN EN ISO 846.

WORKABLE LIKE STONE

Zodiaq® can be cut and installed to meet design requirements, with precision, uniformity and consistency, using the same tools as when working with any natural stone. Zodiaq® can be machined, sandblasted and inlaid and a wide variety of edge treatments are attainable.

characteristics



NONTOXIC AND NONALLERGENIC

Zodiaq[®] is inert and is nontoxic and nonallergenic to humans. The material is third-party certified to be free of heavy metals and comply with the EU Directive 2002/95EC on the Restriction of Hazardous Substances (RoHS).

The vast majority of DuPont™ Zodiaq® materials are NSF/ANSI 51 certified to the highest level for food contact for all food types. Product and colour listings can be found at http://www.nsf.org.

For more information on material safety, you can consult the DuPont™ Zodiaq® Material Safety Data Sheet (MSDS), available at http://msds.dupont.com.

LOW MAINTENANCE

Zodiaq® is non-porous and stain resistant, therefore no surface sealing is required.





GREENGUARD Indoor Air Quality Certifie GREENGUARD for Children and Schools® and their respective logos are trademark or registered trademarks of Air Quality Sciences, Inc. LEED® and LEED® Green Building Rating System™ are trademark or registered trademarks of U.S. Green

ENVIRONMENTALLY FRIENDLY

DuPont[™] Zodiaq[®] is manufactured in compliance with strict standards in order to limit waste and energy consumption at all stages of the production process. The material is GREENGUARD Indoor Air Quality Certified[®] for meeting or exceeding emissions guidelines for VOC's (Volatile Organic Compounds) and meets the certification standards of GREENGUARD for Children & SchoolsSM.

Specifying DuPont™ Zodiaq® for a variety of applications can help construction projects earn LEED® points in several categories. The U.S. Green Building Council (USGBC) developed the LEED® Green Building Rating System™ as a voluntary standard for designing high-performance, sustainable buildings, including a family of rating systems to meet the unique design features of different building projects.

Manufacturing of DuPont™ Zodiaq®

In the first step of the manufacturing process, the three main ingredients, quartz, pigments and polymer are thoroughly mixed. This mixture is subsequently moved to the so-called 'lay-down' area where the mixture is moulded and shaken (vibro-compacted) in a vacuum. In this process the raw materials are compressed in a mould while removing any mixed-in air, effecting the strength and homogenity of the final product. The slabs move through a curing tower in which the uncured resin transforms into solid polymer. After cooling down, the slabs are cut to size and subsequently go through a series of wet abrasive grinding steps. The first step is designed to gauge the slab to the desired thickness. In the next steps finer abrasives are used to obtain the final surface polish. Finally all slabs undergo a stringent final inspection before moving to a storage facility.



Applications

DuPont™ Zodiaq® Surfaces are the natural choice for designers and architects. Like stone, Zodiaq® can be precisely machined, allowing designers the freedom to fulfil their visions. Combining authenticity with artistry, Zodiaq® brings an unique dimension to both horizontal and vertical surfaces in all types of interior design applications.

Zodiaq® can be used in a variety of commercial environment including hotel and leisure, food service, education, retail, healthcare, entertainment and corporate spaces. Applications include flooring, wall cladding, work surfaces, reception counters, windowsills, bar tops, vanity tops, wet areas, tabletops, sales counters and lab tables. Zodiaq® is equally effective in residential environments, whether contemporary or classic in style. The versatile character of DuPont™ Zodiaq® allows it to make a bold individual statement or to blend harmoniously with other materials such as stainless steel, wood or glass. This type of application includes kitchen countertops, splashbacks, flooring and wall cladding, vanity tops, bath and shower surrounds, as well as furniture surfaces and tabletops.

Dimensions and colours

Zodiaq® is available in slabs with a typical size of 140 cm wide and max. 306 cm long. Different colours and surface finishes are available in 20 and 30 mm thickness as standard. Thinner materials are available upon request. For the latest $DuPont^{TM}$ Zodiaq® colour offering see the colour brochure.

Guidelines for designing with DuPont[™] Zodiaq[®]

SLAB OPTIMISATION

The final cost of Zodiaq® surfaces may be heavily influenced by material wastage. In order to reduce cost, DuPont suggests slab optimisation be taken into consideration during the design process.

COLOUR UNIFORMITY

Because of its high quartz crystal content the surface aesthetics of DuPont™ Zodiaq® may vary slightly in colour shade and grain size as with any natural stone product. Special attention is required for larger installations.

THERMAL EXPANSION

When Zodiaq® is joined to other materials (glass, steel, wood, etc.) with different thermal expansion coefficients, a flexible type of adhesive is required to let parts expand and contract freely. Mechanical fasteners (screws, nails, etc.) should never be installed directly into DuPont™ Zodiaq®. Inserts may be used, slip fitted and glued rather than pressure-fitted inserts.

OVERHANGS AND SUPPORTS

Any overhang of 20 mm Zodiaq® extending more than 300 mm, or of 30 mm Zodiaq® extending more than 400 mm, must be supported. 20 mm Zodiaq® should be supported at least every 600 mm; 30 mm Zodiaq® should be supported at least every 900 mm. A solid substrate along with a leg or column(s) should be used for a 20 mm Zodiaq® overhang exceeding 450 mm and a 30 mm Zodiaq® overhang exceeding 600 mm.

HOBS AND SINK CUT-OUTS

Radius all inside corners to a minimum of 6 mm to reduce corner stresses. A minimum clearance of 3 mm space should be left on all sides to allow for hob and sink expansion.

Cut-outs have to be supported on all sides within 75 mm of the edge of the cut-out. Undermounted sinks should be supported with brackets.

INTERIOR FLOORING AND WALL CLADDING

DuPont[™] Zodiaq[®] can be cut into tiles for interior flooring and wall cladding. The quality of the support is important for a proper installation. The support must be ready to receive heavy loads and be flat and dry. Larger sized tiles, panels or thicker material may require wall anchors.

Installation will always have to be carried out with open joints, keeping into account the dimensions of the tiles and the variations in ambient temperature. Expansion joints need to be applied in accordance with the construction.

Performance properties of Zodiaq® products

PROPERTY	TYPICAL RESULT	UNIT	TEST METHOD
PHYSICAL PROPERTIES:			
Thickness	2 and 3	cm	
Weight	49 (2 cm); 74 (3 cm)	kg/m²	
Density	2.4-2.5	g/cm³	DIN ISO 1183
MECHANICAL PROPERTIES:			
Flexural strength	>40	MPa	DIN EN ISO 178
Flexural modulus	25000 – 42000	MPa	
Flexural elongation	0.11 - 0.30	%	
Compressive strength	175 – 280	MPa	EN ISO 604
Resistance to impact (ball drop)	>140	cm	DIN ISO 4586 T12
Surface hardness	6 – 81	Mohs	DIN EN 101
Dimensional stability at 20°C (change in length)	< 0.16	%	DIN EN 4586 T10
PERFORMANCE PROPERTIES:			
Resistance to surface wear	No loss in weight	mm³/100 rev	DIN ISO 4586 T6
Resistance to dry heat at 180°C	Level 5		DIN ISO 4586 T8
Resistance to cigarette burns	Level 5, no colour change		DIN ISO 4586 T17
Chemical resistance	Grade 4-5 for class I reagents		DIN EN 438, part 15
Contamination by mould and fungus	Resistant to bacteria and mould		DIN EN ISO 846
NSF/ANSI 51 certification	Listed		NSF Standards
Water absorption (24h) % thickness % mass	0.03 – 0.06 0.08 – 0.10	%	DIN ISO 4586 T7
Coefficient of linear thermal expansion	2.5 X 10 ⁻⁵	mm/mm°C	DIN 53752
Light fastness (Xenon-arc lamp)	>6	Blue wool scale	DIN ISO 4586 T16
Resistance to slippage wet area	Class C (standard 25°, unpolished > 30°)		DIN 51 130: 1992-11
Resistance to slippage	Class R9 (standard 7.4°, unpolished 8.4°)		DIN 51 097: 1992-11
REACTION TO FIRE:			
Reaction to fire: flame spread	Class 1		BS 476, part 7, 1997
Reaction to fire, fire propagation index, >1	Class o		BS 476, part 6, 1997
MISCELLANEOUS:			
Kosher Certification	Certified		Star-K Kosher Certification
Electrical discharge surface resistance	>10 ¹²	Ohm	EN 6134251

¹ Surface hardness test results for colours with a fine structure vary between 5-6 Mohs.

Fabrication

The process below illustrates how DuPont™ Zodiaq® can be transformed from a slab into for example a bathroom countertop.



HANDLING:

DuPont™ Zodiaq® is a heavy material. Larger pieces are awkward to handle. For example a 2 cm 6ox6o cm tile weighs about 9 kg. Consequently handling requires extra safety precautions and appropriate personal protective and material handling equipment.

INSPECTION:

The slab is checked for defects and colour match prior fabrication.




CUTTING:

DuPont™ Zodiaq® is cut to size, shaped and polished with the appropriate diamond tooling using enough water to keep the surface cool and dust level low. High pressure waterjets can also be used for cutting.



SHAPING:

All internal corners should have a minimum 6 mm radius to reduce corner stresses. All top and bottom edges of straight-edge profiles should have a minimum of 1.5 mm radius or chamfer.



POLISHING:

Edge polishing needs to be done with enough water to keep the surface cool and limit dust formation. Pressure and rotation speed should be kept low. The edge is polished stepwise, starting with rough grinding followed by using tools or pads with a finer grit until the desired surface finish is achieved.

DuPont™ Zodiaq® is provided with a factory surface polish. Therefore the horizontal surface is difficult to match, especially with darker colours.

SEAMING:

Field seams can be colour matched with 2-part polyester adhesive and filled through the entire seam thickness. DuPontTM Zodiaq® adhesives are available to suit the original colour. Any seam that extend into an overhang should have support. Preferred seam width should be < 0.5 mm.

More information and support is available to DuPont™ Zodiaq® fabricators upon request.

Installation

The quality of the installed product largely depends on the quality of the installation, fixation, support and used construction materials. It's therefore recommended to use authorized installers that have experience on DuPontTM Zodiaq®, who will follow our guidelines and requirements and use the recommended materials.

Routine care and maintenance

The natural quartz crystals used in Zodiaq® in combination with stain resistant polymers, result in a smooth, non-porous, polished or matt finish.

POLISHED SURFACES:

Even though DuPont™ Zodiaq® resists permanent staining when exposed to common household liquids such as wine, vinegar, tea, coffee, lemon juice, vegetables, olive oil and grease, it is recommended that food and liquid spills are wiped off as soon as possible. For daily cleaning of Zodiaq® quartz surfaces a damp cloth and, if necessary, a small amount of non-bleach, non-abrasive liquid household cleaner such as hot, soapy water, is adequate. For more stubborn spills, household kitchen spray cleaners (chlorine free) can be used. Always rinse thoroughly with clean water and follow the manufacturer's instructions.

HONED/MATT SURFACES:

All honed/matt surfaces require more attention. Stains, greasy or oily marks, can be removed with a kitchen spray (chlorine free) and a microfibre cloth. For more stubborn marks or stains, a mild cream abrasive cleaner with an abrasive cleaning pad should be used. Always rinse thoroughly with clean water and follow the manufacturer's instructions.

As with any surface, an accumulation of dirt over time will necessitate periodic cleaning to remove surface contamination. The visibility of surface contamination will depend on both the colour of the surface and the finish used. For example, in matt or honed finished products some surface contamination (such as grease from fingerprints) may be more visible compared to similar contamination in polished products. Consequently the frequency of routine cleaning required may be dependent on both the colour and surface finish selected.

Advise can be offered for commercial environments with larger applications such as flooring.

For more information refer to the DuPont™ Zodiaq® Use and Care guidelines.

Recommendations

CUTS OR SCRATCHES

DuPont™ Zodiaq® surfaces will not easily scratch or chip. For kitchen applications the use of a cutting board is required.

RESISTANCE TO HEAT

To maintain the natural beauty of Zodiaq®, do not place hot pans, roasting tins or oven dishes directly onto the surface but use a trivet or stand instead.

RESISTANCE TO STAINS AND CHEMICALS

Zodiaq[®] is non-porous, so spills and stains are not absorbed into the surface, making it stain-resistant. However, certain aggressive chemicals, solvents or dyes, especially paint removers, car battery liquid or furniture strippers, may cause permanent damage to a DuPont™ Zodiaq[®] surface. Products containing bleach, permanent markers and printing inks should also be avoided.

Warranty

DuPont offers two levels of warranty protection for DuPontTM Zodiaq®; "product" and "installed". The "product" warranty is standard for all Zodiaq® products and ensures that it will be free of manufacturing defects for a period of 10 years after purchase. A higher level of coverage, the DuPont 10-year Limited Installed Warranty can be applied when Zodiaq® is fabricated and installed according to the guidelines and requirements set by DuPont. Please consult your local DuPont office for more details.

- Name of design or product
- Name of producer or manufacturer
- Name of designer
- ♦ Name of place or event



- • Allentown, Pennsylvania Connie Postupack Principal Designer, Brownstone Design Group
- ② ♀ Private Apartment ⑤ Mega Marble ◎ Sloane Management (Developers) ⑤ Knightsbridge, UK Photo Jake Fitzjones for DuPont
- ♦ Chesa Futura
 ♦ Zbären Kreativküchen AG
 ♦ St Moritz, Switzerland
- ◆ Y Sink Unit
 ⑤ Mega Marble
 ◆ Zodiaq® At Sleep Exhibition, 2007, UK Photo Jake Fitzjones for DuPont
- ⑤ ♀ Gastronomie Bar in Indus Red ℕ Ramseyer & Steiger AG
 ⇒ Stade de Suisse, Wankdorf, Bern, Switzerland Photo Philip Zinniker



- LT Kitchen Boffi Piero Lissoni and CRS Boffi Milan Design Week, 2007, Milan, Italy Photo Sabine Schweigert for DuPont
- ② Private Kitchen, worktop
 ③ Mega Marble
 ⑤ Neil Lerner
 ⑤ London UK
 Photo Rowland Roques O'Neill





🕽 😲 Private Apartment 🔌 ID office, Steffen Haas 🕏 Nurnberg, Germany

Copyrights




● Grande kitchen Salvarani Castiglia Associati ⇒ Milan Design Week, 2007, Milan, Italy Photo Francesco Brigida for DuPont



- Maison des Parents Picoty-Carné Architects → Limoges, France Photo Nathalie Carné
- ② ♀ Long Line kitchen ⑤ Salvarani ⑥ Castiglia Associati → Milan Design Week, 2008, Milan, Italy Photo Diego Alto for DuPont
- S Slim Kitchen in concrete grey Salvarani Castiglia Associati → Milan Design Week, 2008, Milan, Italy Photo Diego Alto for DuPont



- Vanity (in Zodiaq® vortex black, with 810 bowl in Corian® undermounted)
 Massimo Fucci ⇒ DuPont stand at Hogatec exhibition
 Photo K-Creation for DuPont
- ② ♀ "Voluttuoso" Bath ⑤ Mega Marble ⑥ Mega Marble ➾ Mega Marble Photo Jake Fitzjones for DuPont



- Ÿ Bathtub Mega Marble Mega Marble ⇒ Zodiaq® At Sleep Exhibition, 2007, UK Photo Jake Fitzjones for DuPont
- ② Ÿ Zodiaq® Shower ☒ Mega Marble ☒ Mega Marble ➾ Zodiaq® At Sleep Exhibition, 2007, UK Photo Jake Fitzjones for DuPont
- ③ Ÿ Sink unit ⑤ Mega Marble ⑤ Mega Marble
 ⑤ Zodiaq® At Sleep Exhibition, 2007, UK
 Photo Jake Fitzjones for DuPont

Copyrights

20-21



- Private Apartment S Mega Marble Colourwash Bathrooms Photo Jake Fitzjones for DuPont
- **②** ♀ Shower ⇒ ISH Fair, Frankfurt, 2007 Photo: www.plan-2.de





- ◆ Café service counter tops, dine-at counters, plus decorative cladding
 ◆ Mega Marble
 ◆ Westfield (in-house design team)
 - Nestfield Shopping Centre Derby, UK Photos courtesy of Westfield



● Ÿ Flooring and Stairway Step © Mega Marble
© Mackay + Partners Architects, London ⇒ Greater London House, UK
Photo Jake Fitzjones for DuPont





- Berkshire Dining Center, University of Massachusetts Amherst, Amherst, MA USA
- Allentown, Pennsylvania Connie Postupack
 Principal Designer, Brownstone Design Group



- $\bullet \quad \mbox{$\stackrel{\circ}{V}$} \quad \mbox{Table, Design Industries Foundation Funding Aids (DIFFA),}$
- 🕲 Marvic Corp 🕲 Shashi Caan
- 🕏 "Dining by Design" Event, New York City, 2002



- **1 ♦** Gastronomie Bar **♦** Ramseyer & Steiger AG
 - $\ensuremath{\Rightarrow}$ Stade de Suisse, Wankdorf, Bern, Switzerland Photo Philip Zinniker





● Gastronomie Bar Namseyer & Steiger AG Stade de Suisse, Wankdorf, Bern, Switzerland Photo Philip Zinniker





● Gastronomie Bar, Vineyard, Nolfgang Münzing Hesse, Germany Photo Susanne Sommerfeld, Constance





● Bathroom © Mega Marble © Intercontinental Group ⇒ Intercontinental Hotel Photo Jake Fitzjones for DuPont





Contacts

EUROPE

HEADQUARTERS

DU PONT DE NEMOURS INTERNATIONAL S.A. 2, chemin du pavillon/p.o. Box 50 Ch-1218 Le Grand-Saconnex Geneva Switzerland TEL: +41 22 71 75 111 FAX: +41 22 71 75 109

AUSTRIA

DU PONT DE NEMOURS (DEUTSCHLAND) GMBH Hugenottenallee 173-175 D-63263 Neu-Isenburg Germany TEL: +49 93 14 60 07 41 FAX: +49-6102-18-2524 Free telephone number: 0 800 29 58 33

BENELUX

DUPONT DE NEMOURS (BELGIUM) BVBA Antoon spinoystraat 6 B-2800 Mechelen Belgium TEL: +32 15 47 32 99 FAX:+32 24 03 53 42 Free telephone number (Belgium only): 0800 96 666 Free telephone number (Luxembourg only): 0800 23 079 Free telephone number (Netherlands only): 0800 02 23 500

DENMARK

DUPONT DANMARK Skøjtevej 26 DK-2770 Kastrup Denmark TEL: +45 32 47 98 00 FAX: +45 77 31 15 79

FRANCE

DU PONT DE NEMOURS (FRANCE) S.A.S. Défense Plaza 23/25 Rue Delarivière Lefoullon Défense 9 92800 Puteaux France TEL: +33 1 41 97 44 00 FAX: +33 1 41 97 44 11 Free telephone number: 0800 91 72 72

FINLAND

NOMART Ov Merikasarminkatu 6 00160 Helsinki Finland TEL: +358 9 66 14 77 FAX: +358 9 66 37 28

GERMANY

DU PONT DE NEMOURS (DEUTSCHLAND) GMBH Hugenottenallee 173-175 D-63263 Neu-Isenburg Germany TEL: +49 93 14 60 07 41 FAX: +49 61 02 18 25 24 Free telephone number: 0800 18 10 018

GREECE

LEADING PRODUCTS SA Ind. Park Avlonas – Thessi Tsouba 19011 Avlonas – Attica Greece TEL: +30 22950 44020 FAX: +30 22950 44025

ICELAND

DUPONT SURFACES box 84 425 02 Hisings Kärra Sweden TEL: +46 31 57 68 00 FAX: +46 31 57 34 53

ITALY

DU PONT DE NEMOURS ITALIANA S.R.L. **Building Innovations** Via Piero Gobetti 2/c 20063 Cernusco s/Naviglio MI ITALv TEL: +39 02 92 629 349 FAX: +39 02 360 493 61 Free telephone number: 800 876 750

NORWEGIA

DUPONT NORGE AS Postboks 6154 NO 0602 Oslo Norwegia Grenseveien 91 TEL: +47 22 08 79 11 FAX: +47 22 08 79 29

PORTUGAL

MATERFUT (Distribuidor oficial) Estrada Da Rainha, 807 4410-030 Serzedo Vila Nova De Gaia Portugal TEL: +351 227 536 900 FAX: +351 227 536 909

SPAIN

DU PONT IBÉRICA, S.L. Edifi cio l'illa Avenida Diagonal 561 Es-08029 Barcelona Spain TEL: +34 93 227 61 32 FAX: +34 93 22 76 211 Free telephone number: 901 120089

STONEWAY™ Distribuidor Oficial para España de DuPont™ Zodiag® Avda. Um-Draiga. L3 (Polígono Industrial Lacy II) P.O.Box 111 - 03600 Elda – Alicante TEL: +34 902 100 895 FAX: +34 902 100 896 www.thestoneway.com www.zodiag.es

SWEDEN

DUPONT SURFACES box 84 425 02 Hisings Kärra Sweden TEL: +46 31 57 68 00 FAX: +46 31 57 34 53

SWITZERLAND

DU PONT DE NEMOURS (DEUTSCHLAND) GMBH Hugenottenallee 173-175 D-63263 Neu-Isenburg Germany TEL: +49 93 14 60 07 41 FAX: +49 61 02 18 25 24 Free telephone number: 0800 55 46 14

UNITED KINGDOM AND IRELAND

MCD MARKETING LIMITED

10 Quarry Court Pitstone Green Business Park Pitstone, nr. Tring Bucks. Lu7 9gw TEL: +44 12 96 66 35 55 FAX: +44 12 96 66 35 99 Free telephone number (United Kingdom only): 0800 96 21 16 Free telephone number (Ireland only): 1800 55 32 52 e-mail: sales@zodiag.co.uk

CENTRAL AND EASTERN EUROPE

HEADQUARTERS

DUPONT CZ S.R.O. Pekarska 14/628 Cz-155 oo Prague 5 Czech Republic TEL: +420 257 414 213 TEL: +420 800 120 016 FAX: +420 257 414 150

BULGARIA

DUPONT DE NEMOURS INTERNATIONAL S.A Trade Representation in Bulgaria 1766 Sofia, Mladost 4 Business Park Sofi a Build.1A, fl oor 1 Bulgaria TEL: +359 2 4899155 FAX: +359 2 489 9156

CZECH REPUBLIC

DUPONT CZ S.R.O. Pekarska 14/628 Cz-155 oo Prague 5 Czech Republic TEL: +420 257 414 213 TEL: +420 800 120 016 FAX: +420 2 57 414 150

HUNGARY

DUPONT CZ S.R.O. Pekarska 14/628 Cz-155 oo Prague 5 Czech Republic TEL: +420 257 414 213 TEL: +420 800 120 016 FAX: +420 57 414 150

KAZAKHSTAN

"DUPONT KAZAKHSTAN" LLC 172, Dostyk avenue Almaty 050051 Kazakhstan TEL: +7727 261 90 28 FAX: +7 727 261 90 38

POLAND

DU PONT POLAND SP. Z O.O. ul. Powazkowska 44c pl-01-797 Warsaw Poland TEL: +48 22 320 0900 FAX: +48 22 320 0901 Toll free number: 0 801 800 083

ROMANIA

DUPONT ROMANIA SRL Soseaua Bucuresti Ploiesti 42-44 Baneasa Business & Technology Park Building B, 2nd Floor, 1, Bucharest Romania TEL: + 40 31 62 04 111 FAX: +40 316204101

RUSSIA

DUPONT SCIENCE & TECHNOLOGIES LLC Krylatskaya str., 17 bld. 3 121614 Moscow Russia TEL: +7 495 797 22 33 FAX: +7 495 797 22 01

SERBIA

DUPONT SRB D.O.O. Omladinskih brigada 88 11070 New Belgrade Serbia TEL: +381 11 2090581 FAX: +381 11 2090598

SLOVAKIA

DUPONT CZ S.R.O. Pekarska 14/628 Cz-155 oo Prague 5 Czech Republic TEL: +420 257 414 213 TEL: +420 800 120 016 FAX: +420 2 57414 150

"DUPONT UKRAINE" LLC "Podil Plaza" Business Center 30a, Spaska Street Kyiv, 04070 Ukraine TEL: + 380 50 310 79 19 FAX: + 380 44 495 26 71



P.o. box 33718

Dubai

United Arab Emirates

TEL: +971 43 21 15 30

FAX: +971 43 21 15 33

EGYPT

DUPONT PRODUCTS S.A. 48, El-Nasr St. New Maadi-10 Floor Cairo Egypt TEL: +202 275 46 580 FAX: +202 275 46 583 ISRAEL

SAUDI ARABIA

DUPONT PRODUCTS SA Eastern cement tower 4th fl oor-405 Alkhobar 31952, Saudi Arabia TEL: +966 1 4190180 FAX: +966 1 4191053

SOUTH AFRICA

DUPONT DE NEMOURS SA 4th Floor Outspan House 1006 Lenchen Avenue North Centurion 0046 TEL: + 27 12 683 5600 FAX: +27 12 683 5663

TURKEY

DUPONT TURKEY
Buyukdere cad. No:122 ozsezen is
merkezi
A blok kat:1-3, 34394,
Esentepe
Istanbul
Turkey
TEL:+90 212 340 04 00
FAX:+90 212 340 04 20

DUPONT SURFACES Chestnut Run Plaza P.O. Box 80721 Wilmington, DE 19880-0721 USA TEL: + 1-800-436-6072 FAX: +1 800 426 5753

LATIN AMERICA

ARGENTINA

DUPONT ARGENTINA S.A. Ing. Butty 240, piso 10 1001 Buenos Aires Argentina TEL: 005411-4021-4700 FAX: 005411-4021-4800

COLOMBIA

DUPONT COLOMBIA S.A. Calle 113 # 7-21 torre A piso 14 Bogotá Colombia Tel: 571 6292202 Fax: 571 6292428

MEXICO

DUPONT S.A. DE C.V. Homero 206 COL Chapultepec Morales Delegación Miguel Hidalgo 11570 DF Mexico City Mexico Tel: +525 722 1223

Tel: +525 722 1223 Fax: +525 722 1369

Zodiaq® book

DuPont™ Zodiaq® is an innovative, high performance, decorative surfacing material available to industry, architects and designers. The secret behind this groundbreaking material's strength and beauty lies in

high-purity quartz, a binding polymer and heavy metal-free pigments. **Architects** and **designers** can now explore a new creative scope surpassing what is possible with raw stone. Furthermore, the material's strength, homogeneity, workability and hygienic qualities make it ideal for high-wear commercial areas, as well as for kitchen and bathroom applications.

With its cool, fresh, sparkling look and complete lack of fissures, Zodiaq® subtly interacts with the light, capturing and reflecting he radiance of quartz crystal. As an added bonus, the material narmonizes beautifully with wood, glass, steel and concrete.





zodiaq